

C-Virus Appendix test kit (CTT)

This test kit can be used individually or in combination with other CTT test kits such as: "Viruses and Fungi", "Vaccinations, Metals and Miscellaneous", the Herpesviruses test kit and the new single ampoules with frequency information of vaccines (e.g.: CBP2021).

The aim is to strengthen the immune system and specifically prevent the replication and reactivation of viruses energetically. In addition, energetic burdens and blockages caused by infections and vaccinations are to be eliminated. Of course, accompanying this, the elimination organs must always be opened and further toxic burdens minimized. The healthier the inner environment, the stronger the immune system.

C-V1	SARS
C-V2	MERS
C-V3	Increase virus defense
C-V4	Support immune system
C-V5	Reduce infectiousness
C-V6	Inhibit virus replication
C-V7	Offset RNA vaccinations
C-V8	Stabilize nervous system
C-V9	Stabilize respiratory tract
C-V10	Remove energetic blockages

In this test kit there are 2 ampoules with a gray background and black writing. They are tested and treated with an **Ai program** (191 or 197).

The ampoules with a pink background and black lettering are tested and treated with an **A program** (192 or 198).

Ampule information:

SARS	contains frequency information of SARS-CoV-1, the causative agent of SARS (Severe Acute Respiratory Syndrome), a Betacoronavirus (RNA virus) that led to a pandemic in 2002/2003.
MERS	contains frequency information of MERS-CoV (Middle East respiratory syndrome-related coronavirus), a beta-coronavirus (RNA virus) first identified in 2012, that can cause severe respiratory infection and kidney failure.
Increase virus defense	contains frequency information to help prevent viral invasion into the cell, increase defense, and energetically stabilize the cell against viral attack.
Support immune system	contains frequency information to support and modulate the immune system and prevent overreactions. At the same time, the removal of released toxins is energetically supported.
Reduce infectiousness	contains frequency information designed to energetically reduce the infectiousness and escape mechanisms of viruses while stimulating apoptosis.
Inhibit virus replication	contains frequency information, which is designed to energetically prevent virus replication and subsequent release into the blood and lymphatic system.
Offset RNA vaccinations	contains frequency information designed to reduce side effects of mRNA vaccinations and prevent excessive immune reactions in an energetic way.
Stabilize nervous system	contains frequency information designed to energetically stabilize the entire nervous system, regenerate cells and eliminate post-infectious residual symptoms (e.g. olfactory and gustatory disorders).
Stabilize respiratory tract	contains frequency information, which is designed to energetically stabilize the respiratory tract, regenerate cells and support the immune system accordingly.

Remove energetic blockages

contains information that is designed to remove the energetic blockages in the context of an infection or vaccination and the associated stagnation and accelerate healing.

Therapy approach:

1. Basic therapy
 - a. The patient is connected to the input and output of the BICOM device.
 - b. The input beaker also contains secretions or excretions of the patient.
2. Follow-up programs (remove therapy blockages, open elimination organs, meridian-related and/or indication-related follow-up programs).
 - a. The patient is connected to the input and output of the BICOM device.
 - b. The input cup also contains secretions or excretions of the patient.
3. Pathogenic strain
 - a. The patient is connected only to the output of the BICOM device.
 - b. The tested ampoule of pathogenic strain is in the input cup.
 - c. It is treated with an **Ai** program.
 - d. Always test amplification and time!
4. Elimination
 - a. The patient is connected only to the output of the BICOM device.
 - b. In the input cup, there is the tested pink elimination ampoule.
 - c. It is treated with an **A** program.
 - d. Always test amplification and time!
5. Stabilization
 - a. The patient is connected only to the output of the BICOM device.
 - b. In the input cup there are the tested stabilizing ampoules of the test kit 5 Elements and functional circuits: Priority element ampoule, meridian ampoule(s), pink highlighted stress ampoule(s) (A program 192 or 198).
 - c. Subsequently, therapy is carried out (if required) with an attenuation ampoule (A program 192 or 198).
 - d. Always test out amplification and time!

It is recommended to also use BICOM trace elements or BICOM oil in the red output cup during the therapy, which can be administered 2 to 3 times a day. Alternatively consider storing the therapy information on a BICOM chip.